

Notice of Allowability

Application No.

10/699,855

Examiner

Gautam R. Patel

Applicant(s)

SHIBUYA ET AL.

Art Unit

2627

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 8/7/06.
2. ☒ The allowed claim(s) is/are 1-20.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some* c) ☐ None of the:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date 11/4/03;5/26/06
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☒ Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

ALLOWANCE & EXAMINER'S AMENDMENT

1. An Examiner's Amendment to the record appears below. Should the changes and /or additions be unacceptable to the applicant, an amendment may be filed as provided by 37 CFR § 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this Examiner's Amendment was given in a telephone interview with Mr. James Love on September 12, 2006.

2. The application has been amended as follows:

Cancel claim 21.

3. Pursuant to M.P.E.P. § 606.01, the title has been changed to read:

-- A condenser with first and second photodetectors with three sections each and having focal points before and after the surface of detectors --.

4. The following is an Examiner's Statement of Reasons for Allowance:

Claims 1-20 are allowable over the prior art of record since the cited references taken individually or in combination fails to particularly disclose a condenser which includes two photodetectors with focal points below and above the surface of the photodetectors respectively and each photodetector having three elements in which "a first area recode first light, second area receives second light in which condensed light is located outside of the first portion and a third area receives third portion of condensed light which is located outside of the second portion of the condensed light ". It is noted that the closest prior art, Yang (US patent 5,553,050) shows a similar apparatus which dual photodetectors and also focal points above and below these two photodetectors and these photodetectors are locate equidistance from these focal points [see fig. 6]. However Yang fails to disclose details of three portions [areas] on each detector and light distribution as claimed.

5. Any comments considered necessary by applicant must be submitted no later than the payment of the Issue Fee and, to avoid processing delays, should preferably accompany the Issue Fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2627

Other prior art cited

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- a. Yamamoto et al. (US. Patent 5,119,355).
- b. Miyake et al. (US. Patent 5,253,237).
- c. Yang (US patent 5,553,050).
- d. Nakamura et al. (US patent 4,873,678)

Contact information

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gautam R. Patel whose telephone number is 571-272-7625. The examiner can normally be reached on Monday through Thursday from 7:30 to 6.

The appropriate fax number for the organization (Group 2650) where this application or proceeding is assigned is 571-273-8300.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Dwayne Bost, who can be reached on (571) 272-7023.

Any inquiry of a general nature or relating to the status of this application should be directed to the Electronic Business Center whose telephone number is 866-217-9197 or the USPTO contact Center telephone number is (800) PTO-9199.



**GAUTAM R. PATEL
PRIMARY EXAMINER**

Gautam R. Patel
Primary Examiner
Group Art Unit 2627

September 13, 2006